											Enhancements						•	w FY 2021 Enhancements
Code	Resource Concern	Resource Concern Cause	Crop (Appual and Mixed)	Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Farmstead	Full Enhancement Name	Enhancement Description	Enhancement Lifespan		Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E314A	PLANTS; ANIMALS	Plant Structure and Composition, Plant Pest Pressure; Terrestrial Habitat for Wildlife and Invertebrates			x	x	x	x		Brush management to improve wildlife habitat	Brush management is employed to create a desired plant community, consistent with the related ecological site steady state, which will maintain or enhance the wildlife habitat desired for the identified wildlife species. It will be designed to provide plant structure, density and diversity needed to meet those habitat objectives. This enhancement does not apply to removal of woody vegetation by prescribed fire or removal of woody vegetation to facilitate a land use change.	1	:	3	\$16.83	State WHEG for species of concern		Enhancement lifespan changed to one year, max years for contracting changed to 3
E315A	PLANTS	Plant Productivity and Health, Plant Structure and Composition, Plant Pest Pressure	,		х	x	х	х		Herbaceous weed treatment to create desired plant communities consistent wit the ecological site	Mechanical, chemical, or biological, herbaceous weed treatment will be used to control targeted, herbaceous weeds to create, release, or restore desired plant communities that are consistent with acre achievable, ecological site, steady state descriptions.	1		3	\$14.03	Reproduction and other life- cycle requirements of target recorded wildlife and pollinator species	ΝΔ	Enhancement lifespan changed to one year, max years for contracting changed to 3
E327A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x			x	X	x	Conservation cover for pollinators and beneficial insects	Seed or plug nectar and pollen producing plants in non-cropped areas such as field borders, vegetative barriers, contour buffer strips, grassed waterways, shelterbelts, hedgerows, windbreaks, conservation cover, and riparian forest and herbaceous buffers.	5		1	\$147.40	List of plants suitable for pollinator and beneficial insect habitat which emphasizes as many native species as practical.	NA	
E327B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х				x	x	Establish Monarch butterfly habitat	Seed or plug milkweed (Asclepias spp.), and high-value monarch butterfly nectar plants on marginal cropland, field borders, contour buffer strips, and similar areas.	5		1	\$837.47	Lists of larval host plants and nectar plants suitable for Monarch butterfly. WHEG for species of concern - Monarch butterfly.	NA	
E328A		Sheet and Rill Erosion; Wind Erosion; Organic Matter Depletion; Compaction; Plant Pest Pressure; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х							Resource conserving crop rotation	Establish a Resource Conserving Crop Rotation. Rotation must include AT LEAST one resource conserving crop as determined by the State Conservationist in a minimum three year crop rotation. The crop rotation will reduce soil erosion (water and wind), improve soil health, improve soil moisture efficiency, and reduce plant pest pressures.	1		5	\$20.29	List of resource conserving crops.	NA	The last sub-bullet replaced "a small grain in combination with" To use the new definition wording of "a nonfragile residue or high residue crop or a crop that efficiently uses soil moisture, reduces irrigation water use, or is considered drought tolerant."
E328B	SOIL; PLANTS	Sheet and Rill Erosion; Wind Erosion; Organic Matter Depletion; Compaction; Plant Pest Pressure; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x							Improved resource conserving crop rotation	Improve an existing Resource Conserving Crop Rotation. Must enrich an existing rotation which already includes AT LEAST one resource conserving crop as determined by the State Conservationist in a minimum three year crop rotation. The crop rotation will reduce soil erosion (water and wind), improve soil health, improve soil moisture efficiency, and reduce plant pest pressures.	1	!	5	\$7.25	List of resource conserving crops.	NA	
		Sheet and Rill Erosion, Wind Erosion	х							Conservation crop rotation on recently converted CRP grass/legume cover	Implement a crop rotation management system on crop land acres that have recently converted from CRP grass/legume conservation cover to annual planted crops. Crop rotation minimizes disturbance resulting in a Soil Tillage Intensity Rating (STIR) less than 10 and reduces soil erosion from water and wind to below soil tolerance (T) level. The current NRCS wind and water erosion prediction technologies must be used to document the rotation, soil erosion estimate, and STIR calculations. *This enhancement is limited to acres where the conversion event took place not more than 2 years prior. Enhancement not applicable on hayland.	1		5	\$2.90		NA	

																Did		W F1 2021 Elillancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest Associated	Ag Land	Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E328D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х							Leave standing grain crops unharvested to benefit wildlife	Implement a crop rotation which allows a portion of grain crops to be left in fields un-harvested to provide food and cover for wildlife during winter months.	acr	e 1	5	\$4.42	List of crops that provide food, cover, and shelter for targeted wildlife species. WHEG for species of concern.	NA	
E328E	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х						S	Soil health crop rotation	Implement a crop rotation which addresses all four principle components of soil health: increases diversity of the cropping system; maintains residue throughout the year; keeps a living root; and minimizes soil chemical, physical and biological disturbance. The rotation will include at least 4 different crop and/or cover crop types (crop types include cool season grass, warm season grass, cool season broadleaf, warm season broadleaf) grown in a sequence that will produce a positive trend in the Organic Matter (OM) sub factor value over the life of the rotation, as determined by the Soil Conditioning Index (SCI). The current NRCS wind and water erosion prediction technologies must be used to document the rotation and SCI calculations.	acr	e 1	5	\$4.83	List of high residue crops. State guidance of options to maximize living root systems in local climate and cropping systems. Determine available growing days and period of no growth, such as frozen periods in the north.	NA	
E328F	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х							Modifications to improve soil health and increase soil organic matter	Use of soil health assessment to evaluate impact of current conservation crop rotation in addressing soil organic matter depletion (primary assessment made in Year 1). Modifications to the crop rotation and/or crop management will be made as a result of the assessment results (adding a new crop and/or cover crop to the rotation; making changes to planting and/or tillage system, harvest timing of crops, or termination timing of cover crops). During Year 3 a follow up assessment will be completed to allow time for the modifications to show increased soil organic matter. Modified system must produce a positive trend in the Organic Matter (OM) sub factor value over the life of the rotation, as determined by the Soil Conditioning Index (SCI). The current NRCS wind and water erosion prediction technologies must be used to document the rotation and SCI calculations.	,	e 1	5	\$2.13		NA	
E328G	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х						g		Crop rotation on acres converted, no more than 2 years prior, from CRP grass/legume cover to annual crops. Diverse rotation with living roots and residue cover throughout year and minimal disturbance. Enhancement not applicable on hayland.	acr	e 1	5	\$4.83	List of high residue crops. State guidance of options to maximize living root systems in local climate and cropping systems. Determine available growing days and period of no growth, such as frozen periods in the north.	NA	
E328I	WATER	Nutrients Transported to Surface Water	Х	х					c	Forage harvest to reduce water quality impacts by utilization of excess soil nutrients	Establish a forage crop (single species or mix) following a primary annual crop to take up excess soil nutrients. Select forage known to effectively utilize and scavenge nutrients. Forage shall be harvested for forage, but not be grazed or burned.		e 1	1	\$4.45	List of forage crops known to effectively utilize and scavenge nutrients. State guidance of options to maximize nutrient uptake in local climate and cropping systems.	NA	

Page 2 of 27 FY 2021

											Enhancements	ue: Ne	w FY 2021 Enhancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest	Associated	Farmstead	Full Enhancement Name	Enhancement Lifespan Contracted Hamiltonia Payment rate  Payment rate  Payment rate  Payment rate  Payment rate  Payment rate	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E328J	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х							Improved crop rotation to provide benefits to pollinators	Improve the existing crop rotation by adding pollinator friendly crops into the rotation. The crop rotation shall include a minimum of three different crops in a minimum five year crop rotation. Each year, the pollinator friendly crop will be planted on a minimum of 5% of cropland acres contained within the agricultural operation. Use of insecticides is limited for the pollinator friendly crop.  State list of pollinator friendly crops.	NA	
E328K	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х							Multiple crop types to benefit wildlife	Alternating crops in a systematic arrangement of strips across a field to provide diverse rotations of crops that provide wildlife food. At least two crops will be planted in adjacent strips a minimum of 0.5 acres in size.  State list of wildlife food friendly crops.	NA	
E328L	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х							Leaving tall crop residue for wildlife	Fields may be harvested but must leave crop residue standing a minimum of 14 inches. Residue will be left through winter and into spring, providing valuable winter cover and forage for wildlife acre 1 5 \$9.66 dates stubble must remain undisturbed.	NA	New Enhancement for FY 2021
E328M	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х							Diversify crop rotation with canola or sunflower to benefit pollinators	Add canola or sunflower to existing crop rotation on minimum of 5% of cropland acres each year.  No systemic pesticides allowed. Only pesticide application on canola or sunflower during pre- bloom and bloom following integrated pest management and industry best management practices.  State list of pollinator friendly crops.	NA	New Enhancement for FY 2021
E329A	SOIL	Sheet and Rill Erosion; Wind Erosion	х							No till to reduce soil erosion	Establish no till system to reduce sheet and rill and wind erosion soil loss. Field(s) must have a soil loss at or below the soil tolerance (T) level for water and wind erosion for the crop rotation and a Soil Tillage Intensity Rating (STIR) of no greater than 10 for each crop in the planned rotation. The current NRCS wind and water erosion prediction technologies must be used to calculate soil loss and STIR.	NA	
E329B	AIR	Emissions of Particulate Matter (PM) and PM Precursors	х							No till to reduce tillage induced particulate matter	Establish no till system to reduce tillage induced particulate matter. Field(s) must have a soil loss at or below the soil tolerance (T) level for the crop rotation and a Soil Tillage Intensity Rating (STIR) of no greater than 10 for each crop in the planned rotation. The current NRCS wind and water erosion prediction technologies must be used to document soil loss and STIR calculations.	NA	
E329C	WATER	Inefficient Irrigation Water Use; Naturally Available Moisture Use	х							No till to increase plant-available moisture	Establish a no till system to increase plant-available moisture. Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 20. The current NRCS wind and water erosion prediction technologies must be used to document STIR calculations. Maintain a minimum 60 percent surface residue cover throughout the year to reduce evaporation from the soil surface.	NA	
E329D	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х							No till system to increase soil health and soil organic matter content	Establish a no till system to increase soil health and soil organic matter content. Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 20. The crop rotation must achieve a soil conditioning index (SCI) of zero or higher. The current NRCS wind and water erosion prediction technologies must be used to document STIR and SCI calculations. Residue shall not be burned, grazed, or harvested.	NA	
E329E	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations	х							No till to reduce energy	Establish a no till system which reduces total energy consumption associated with field operations by at least 25% compared to current tillage system (benchmark). Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 20. The current NRCS wind and water erosion prediction technologies must be used to document STIR calculations and energy consumption.	NA	

										Elinancements					Blu	ie: Nev	v FY 2021 Enhancements
Code	Resource Concern	Resource Concern Cause	Crop	(Perennial)	Pasture	Range	Associated	Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	uitable	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E338A		Plant Pest Pressure, Wildfire Hazard from Biomass Accumulation			x	x x	(		Strategically planned, patch burning for grazing distribution and wildlife habitat	Patch burn grazing is the application of prescribed fires on portions of an identified grazing unit at different times of the year. Patch burn grazing allows grazing animals to select where they want to graze creating a mosaic of vegetation structures and diversity that will maintain or enhance the wildlife habitat desired for the identified wildlife species and maintain livestock production.	acre	1	5	\$7.31	Define different burn seasons. State WHEG for species of concern. State specific criteria to the National Conservation Practice Standard (CPS 338) and/or CPS 338 job sheet.	NΙΔ	WHEG score requirement changed from .75 to .60
E338B		Terrestrial Habitat for Wildlife and Invertebrates; Feed and Forage Imbalance				×	(		Short-interval burns to promote a health herbaceous plant community	The controlled use of fire is applied in a forest to restore fire-adapted plants while improving wildlife habitat, wildlife food supply, and reducing the risk of damage from intense, severe wildfire. The ideal interval between prescribed burns is not often achieved. To improve the effectiveness of prescribed burning, the frequency of prescribed burning is increased appropriately, for a specified time period, to help restore ecological conditions in forests and woodlands. Short return interval prescribed burning is used to regenerate desirable tree species, improve the condition of fire-adapted plants and native herbaceous vegetation, improve wildlife food supply, create wildlife habitat (snags and den/cavity trees), limit encroachment of competing vegetation including non-native species, and reduce the future risk of damage from intense, severe wildfires.	s. acre	1	5	\$84.74	State specific criteria to the National Conservation Practice Standard (CPS 338).	NA	Plant Resource Concern added.
E340A	SOIL	Sheet and Rill Erosion; Wind Erosion	х	x					Cover crop to reduce soil erosion	Cover crop added to current crop rotation to reduce soil erosion from water and wind to below soi tolerance (T) level. Cover crops grown during critical erosion period(s). Species are selected that w have physical characteristics to provide adequate erosion protection.		1	5	\$8.54	List of approved cover crop species for water or wind erosion protection. Guidance document on local climates and cropping systems.	NA	
E340B	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х						Intensive cover cropping to increase soil health and soil organic matter content	Implementation of cover crop mix to provide soil coverage during ALL non-crop production period in an annual crop rotation. Cover crop shall not be harvested or burned. Planned crop rotation including cover crops and associated management activities must achieve a soil conditioning index (SCI) of zero or higher. The current NRCS wind and water erosion prediction technologies must be used to document SCI calculations.		1	5	\$14.40	List of approved cover crop species. Guidance document on local climates and cropping systems.	NA	
E340C	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х	х					Use of multi-species cover crops to improve soil health and increase soil organic matter	Implement a multi-species cover crop to add diversity and increase biomass production to improve soil health and increase soil organic matter. Cover crop mix must include a minimum of 4 different species. The cover crop mix will increase diversity of the crop rotation by including crop types currently missing, e.g. Cool Season Grass (CSG), Cool Season Broadleaves (CSB), Warm Season Grasses (WSG), Warm Season Broadleaves (WSB).		1	5	\$12.77	List of approved cover crop species. Guidance document on local climates and cropping systems.	NA	
E340D	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability		x					Intensive orchard/vineyard floor cover cropping to increase soil health	Implement orchard or vineyard floor cover crops. Cover crop shall not be harvested, grazed, or burned. Must achieve a soil conditioning index of zero or higher and produce a positive trend in th Organic Matter subfactor over the life of the rotation.	e acre	1	5	\$12.77	List of approved cover crop species. Guidance document on local climates and cropping systems.	NA	

										Zimanoemento						ы	ie. ive	w FY 2021 Ennancements
Code	Resource Concern	Resource Concern Cause	Crop Annual and Mixed)	Crop Perennial)	Pasture	Forest	Associated	ng Land Farmstead	Full Enhancement Name	Enhancement Description		Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E340E	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х						Use of soil health assessment to assist with development of cover crop mix to improve soil health	Soil health assessment (year 1) to evaluate current crop rotation in addressing soil organic ndepletion. Results are utilized to select a multi-species cover crop mix to add to the current rotation. Follow up assessment completed (year 3).		acre	1	5	\$3.65	List of approved cover crop species. Guidance document on local climates and cropping systems.	NA	
E340F	SOIL	Compaction	x	x					Cover crop to minimize soil compaction	Establish a cover crop mix that includes plants with both fibrous root and deep rooted syste Fibrous to treat and prevent both near surface (0-4") and deep (>4") soil compaction and de rooted to break up deep compacted soils. Cover crop shall not be harvested, grazed, or burn	ep	acre	1	5	\$12.38	List of approved cover crop species for soil compaction reduction. Guidance document on local climates and cropping systems.	NA	
E340G	WATER	Nutrients Transported to Surface Water; Nutrients Transported to Groundwater		х					Cover crop to reduce water quality degradation by utilizing excess soil nutrients	Establish a cover crop mix to take up excess soil nutrients. Select cover crop species for their to effectively utilize nutrients. Terminate the cover crop as late as practical to maximize plan biomass production and nutrient uptake. Cover crop shall not be harvested, grazed, or burn	t	acre	1	5	\$12.38	List of approved cover crop species for excess nutrient uptake. Guidance document on local climates and cropping systems.	NA	
Е340Н	PLANT	Plant Pest Pressure	x	x					Cover crop to suppress excessive weed pressures and break pest cycles	Establish a cover crop mix to suppress excessive weed pressures and break pest cycles. Selector species for their life cycles, growth habits, and other biological, chemical and/or physic characteristics. Select cover crop species that do not harbor pests or diseases of subsequent in the rotation. Cover crop shall not be harvested, grazed, or burned.	al .	acre	1	5	\$12.77	List of approved cover crop species for weed suppression and that do not harbor pests or diseases. Guidance document on local climates and cropping systems.	NA	
E340I	SOIL	Compaction	х						Using cover crops for biological strip till	Establish alternating strips of cover crops in which one strip acts as a biological strip-tiller ar adjacent strip promotes soil health with high residue cover crops. This will facilitate plantin subsequent cash crop into the biologically strip-tilled row without the need for mechanical disturbance.	of the	acre	1	5	\$13.96	List of approved cover crop species for soil compaction reduction. Guidance document on local climates and cropping systems.	NA	
E345A	SOIL	Sheet and Rill Erosion; Wind Erosion	x						Reduced tillage to reduce soil erosion	Establish a reduced tillage system to reduce soil loss. Field(s) must have a soil loss at or belo soil tolerance (T) level for water and wind erosion for the crop rotation and a Soil Tillage Interesting (STIR) of no greater than 40 for each crop in the planned rotation. The current NRCS and water erosion prediction technologies must be used to calculate soil loss and STIR.	nsity	acre	1	5	\$3.86		NA	
E345B	AIR	Emissions of Particulate Matter (PM) and PM Precursors	х						Reduced tillage to reduce tillage induced particulate matter	Establish a reduced tillage system to reduce tillage induced particulate matter. Field(s) must soil loss at or below the soil tolerance (T) level for the crop rotation and a Soil Tillage Intensi Rating (STIR) of no greater than 40 for each crop in the planned rotation. The current NRCS and water erosion prediction technologies must be used to document soil loss and STIR calculations.	у	acre	1	5	\$2.90		NA	
E345C	WATER	Inefficient Irrigation Water Use; Naturally Available Moisture Use	x						Reduced tillage to increase plant-available moisture	Establish a reduced till system to increase plant-available moisture. Each crop in the crop ro shall have a Soil Tillage Intensity Rating (STIR) of no greater than 80. The current NRCS wind water erosion prediction technologies must be used to document STIR calculations. Maintai minimum 60 percent surface residue cover throughout the year to reduce evaporation from surface.	and i a	acre	1	5	\$2.90		NA	

																	V F1 2021 Elillancements
Code	Resource Concern	Resource Concern Cause	Crop	nia ,	rasture Range	Forest	Associated	Ag Lanu Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	uital	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E345D	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х						Reduced tillage to increase soil health and soil organic matter content	Establish a reduced till system to increase soil health and soil organic matter content. Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 80. The crop rotation must achieve a soil conditioning index (SCI) of zero or higher and produce a positive trend in the Organic Matter (OM) subfactor over the life of the crop rotation. The current NRCS wind and water erosion prediction technologies must be used to document STIR and SCI calculations. Residue shall not be burned, grazed, or harvested.		1	5	\$3.86		NA	
E345E	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations	х						Reduced tillage to reduce energy use	Establish a reduced tillage system which reduces total energy consumption associated with field operations by at least 25% compared to conventional tillage systems (benchmark). Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 80. The current NRCS wind and water erosion prediction technologies must be used to document STIR calculations and energy consumption.		1	5	\$2.90		NA	
E374A	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations	х	x >	(		х	х	Install variable frequency drive(s) on pump(s)	Install Variable Frequency Drive(s) (VFD) on Pumping Plant (Conservation Practice Standard CPS 533) with the correct sensors, on all pumps indicated in the energy audit.	no	10	1	\$103.95		NA	
E374B	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations	х	x x	(		х	х	Switch fuel source for pump motor(s)	Switch the fuel source for the pump motor(s) indicated in the energy audit to a renewable source (wind, solar, geothermal, etc.). (CPS 533 Pumping Plant)	no	10	1	\$2,893.76		NA	
E376A	AIR	Emissions of Particulate Matter (PM) and PM Precursors	х	х					Modify field operations to reduce particulate matter	Modify tillage and/or harvest operations to reduce particulates by at least 20 percent below the required levels.	acre	1	5	\$2.90		NA	
E381A	PLANTS, ANIMALS	Plant Structure and Composition, Plant Productivity and Health, Terrestrial Habitat for Wildlife and Invertebrates, Aquatic Habitat for Fish and other Organisms		,	K	х	х		Silvopasture to improve wildlife habitat	Establishing a combination of trees or shrubs and compatible forages on the same acreage, providing forage, shade, and/or shelter for livestock and including a purpose of enhancing wildlife habitat.	acre	15	1	\$75.34	State WHEG for species of concern. List of wildlife friendly grasses, forbs, shrubs, and trees.	NA	
E382A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates		)	x x	х	х		Incorporating "wildlife friendly" fencing for connectivity of wildlife food resources	Retrofitting or constructing fences that provide a means to control movement of animals, people, and vehicles, but minimizes wildlife movement impacts.	ft	20	1	\$0.16	State job sheet to record animal species of concern and wildlife movement modifications/specifications. WHEG for species of concern.	NA	
		Plant productivity and Health, Plant Structure and Composition		,	x x				Installing electrical fence offsets and wir to facilitate cross-fencing for improved grazing management	Retrofitting conventional fences such as barb wire, with new electrical offsets and electrical wire to facilitate cross-fencing for improved grazing management.	ft	20	1	\$0.45	Electric Fence Design sheet and map to design enhancement; potential state supplemental guidance for the technical quality of the existing fences	NA	
	SOIL	Sheet and Rill Erosion; Wind Erosion	х	х			х		Enhanced field borders to reduce soil erosion along the edge(s) of a field	Enhance existing field borders to a width of at least 30 feet and establish a single species or mixture of species that provide a dense ground cover along the edge(s) of the field.	acre	10	1	\$622.75		NA	

															5.0		V F1 2021 Elillancements
Code	Resource Concern	Resource Concern Cause	Crop	nial)	Pasture	range Forest	Associated	Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E386B	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х	x			х		Enhanced field borders to increase carbo storage along the edge(s) of the field	Enhance existing field borders to a width of at least 30 feet and establish a single species or mixture of species that provide a dense ground cover and dense rooting system along the edge(s) of the field.		10	1	\$702.28		NA	
E386C	AIR	Emissions of Particulate Matter (PM) and PM Precursors	х	х			х		Enhanced field borders to decrease particulate emissions along the edge(s) of the field	Enhance existing field borders to a width of at least 40 feet and establish a mixture of species that decrease the particulate emissions along the edge(s) of the field.	acre	10	1	\$635.92		NA	
E386D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х			х		Enhanced field borders to increase food for pollinators along the edge(s) of a field	Enhance existing field borders to a width of at least 40 feet and establish a mixture of species that provide food for pollinators along the edge(s) of the field.	t acre	10	1	\$702.28	List of plants suitable for pollinator habitat which emphasize as many native species as practical. WHEG for species of concern.	NA	
E386E	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	x			х		Enhanced field borders to increase wildli food and habitat along the edge(s) of a field	Enhance existing field borders to a width of at least 40 feet and establish a mixture of species that provide wildlife food and habitat along the edge(s) of the field. The extended field border will also provide enhanced wildlife habitat continuity.		10	1	\$702.28	List of wildlife friendly grasses, forbs, shrubs, and trees. WHEG for species of concern.	NA	
E390A	WATER	Nutrients Transported to Surface Water; Sediment Transported to Surface Water		x					Increase riparian herbaceous cover width for sediment and nutrient reduction	Where an existing herbaceous riparian buffer is located along a river, stream, pond, lake, or other waterbody, increase the width of the buffer in order to allow a greater percentage of sediment an nutrient removal from surface and subsurface flows.		e 5	1	\$510.77	List of plant species with stiff stems and high stem density that are adapted to the duration of saturation and inundation of the site.	NA	
E390B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	x	x x	ĸ	х	х	Increase riparian herbaceous cover width to enhance wildlife habitat	Where an existing herbaceous riparian buffer is located along a river, stream, pond, lake, or other waterbody, increase the diversity of native species, control invasive species, install fencing and relocate equipment operations, trails, and livestock, and increase the width of the buffer.	acre	e 5	1	\$366.27	List of wildlife friendly grasses, forbs, and legumes. WHEG for species of concern.	NA	
E391A	WATER	Nutrients Transported to Surface Water; Sediment Transported to Surface Water		х					Increase riparian forest buffer width for sediment and nutrient reduction	Where an existing forested riparian area is located along a river, stream, pond, lake, or other waterbody, increase the width of the buffer in order to allow a greater percentage of sediment an nutrient removal from surface and subsurface flows.	id acre	15	1	\$2,045.46	List of wildlife friendly grasses, forbs, shrubs, and trees.	NA	
E391B	WATER	Elevated Water Temperature	x	x	x x	x x	x	x	Increase stream shading for stream temperature reduction	Riparian area tree canopy cover density is increased and the extent of the forested riparian area is increased to provide greater stream shading.	acre	15	1	\$2,069.92	List of wildlife friendly grasses, forbs, shrubs, and trees.	NA	
E391C	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	x	х	ĸ	х	х	Increase riparian forest buffer width to enhance wildlife habitat	Where an existing riparian forest buffer is located along a river, stream, pond, lake, or other waterbody, increase the diversity of native species, control invasive species, install fencing and relocate equipment operations, trails, and livestock to increase the functional width of the buffer		15	1	\$2,069.92	List of wildlife friendly grasses, forbs, shrubs, and trees. WHEG for species of concern.	NA	
E393A	WATER	Nutrients Transported to Surface Water; Pathogens and Chemicals from Manure, Bio-solids or Compost Applications Transported to Surface Water	5	x			x		Extend existing filter strip to reduce water quality impacts	Extend existing filter strips for water quality protection. Extend the existing buffer for a total of 60 r feet or more to enhance water quality functions. The extended buffers must be composed of at least 5 species of non-noxious, wildlife friendly grasses and/or perennial forbs best suited to site conditions. Include species that provide pollinator food and habitat where possible.		10	1	\$895.50	List of wildlife friendly grasses and perennial forbs.	NA	
E395A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	<b>x</b> :	x x	x x	x		Stream habitat improvement through placement of woody biomass	Flexible placement of wood (unanchored/unpinned) in small, 1st and 2nd order streams to impro stream habitat conditions for aquatic species and natural stream processes.	ve acre	5	1	\$18,548.84		NA	

															Dic	ic. ivev	V F1 2021 Elliancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	nial)	Pasture	Range	Associated	Ag Lanu Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E399A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х	x x	x >	x	ı x	Fishpond management for native aquatic and terrestrial species	Pond rehabilitation, buffer, and watershed management actions are taken to improve habitat for native species of fish, amphibians, and shorebirds.	acre	1	5	\$1,272.57		NA	
E412A	WATER	Sediment Transported to Surface Water	х	х					Enhance a grassed waterway	Enhance grassed waterways for water quality protection (reduce excess sediment in surface waters). This is done by either changing the waterway size, protecting the current waterway, or improving the infiltration of the watershed of the grassed waterway to protect the waterway.	acre	10	1	\$4,046.96		NA	New Enhancement for FY 2021
E449A	WATER; ENERGY	Inefficient Irrigation Water Use; Energy Efficiency of Farming/Ranching Practices and Field Operations	х	x	х		х	x	Complete pumping plant evaluation for water savings	Evaluation of all pumping plants to determine the potential to rehabilitate/replace/reconfigure pump performance to improve water delivery efficiency 10% or more. Evaluate to determine if a Variable Frequency Drive motor controller(s) is recommended and the simple payback in terms of energy savings is less than 10 years.	acre	1	1	\$5.33		NA	
E449C	WATER	Inefficient Irrigation Water Use	х	х	х				Advanced Automated IWM – Year 2-5, soi moisture monitoring	Advanced automated irrigation water management using soil moisture or water level monitoring (installed as per IWM plan) with data loggers.	acre	1	5	\$18.13		NA	
E449D	WATER	Inefficient Irrigation Water Use	х	х	х				Advanced Automated IWM – Year 1, Equipment and soil moisture or water level monitoring	Installing and monitoring soil moisture or water leveling equipment for advanced automated irrigation water management	acre	1	1	\$51.22		NA	
E449F	WATER	Inefficient Irrigation Water Use	х	х	х			1	Intermediate IWM— Year 1, Equipment with Soil or Water Level monitoring	This activity involves monitoring soil moisture or water levels within a irrigated field for intermediate irrigation water management include installation of equipment year 1.	acre	1	1	\$41.78		NA	
E449G	WATER	Inefficient Irrigation Water Use	x	x	x				Intermediate IWM— Years 2-5, Soil or Water Level monitoring	Field currently flooded through a cascade levee system will be converted to furrow irrigation. It is required that field is leveed on the lower end and approximately 25% up the sides for furrow irrigation prior to implementing the enhancement. After the previous year's crop is harvested, elevated planting beds and furrows will be reshaped as needed to guarantee proper irrigation of th rice crop. Lay flat tubing will be utilized with the correct holes or gates installed to advance water down the furrows at the appropriate rate across the length of the field as prescribed by an NRCS "PHAUCET" design, Delta Plastic® Pipe Planner® or similar.	e acre	1	5	\$8.19		NA	
E449H	WATER	Inefficient Irrigation Water Use	х	х					Intermediate IWM— Years 2 -5, using soil moisture or water level monitoring	Monitoring soil moisture or water levels within an irrigated field for implementing an intermediate irrigation water management plan using soil moisture data to facilitate management decisions.	acre	1	5	\$41.94		NA	New Enhancement for FY 2021

																Bio	e. ivev	V FY 2021 Ennancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E449I	WATER	Inefficient Irrigation Water Use	x	х						IWM - Year 1, Retrofit Equipment with Speed Control on Sprinkler Irrigation System	This enhancement consists of retrofitting an existing sprinkler irrigation system to integrate variable rate irrigation (VRI) speed control where the technology is not present. The added functionality of VRI speed control equipment allows for enhanced water application precision, efficiency, and uniformity along the length of the sprinkler irrigation system by varying the irrigation system speed within the irrigation pass. Renovation of the existing sprinkler irrigation system utilizing this enhancement includes the installation of an upgraded control panel capable of speed control programming and global positioning system (GPS) technology capable of providing real-time field position. Utilization of the VRI speed control and GPS equipment will be for the entire irrigation season and be based on spatially identified parameters such as variations in past yield data, soils, crop growth, topography, or computerized irrigation scheduling recommendations. This scenario requires that the existing sprinkler irrigation system meets Conservation Practice Standard (CPS) 442 uniformity and efficiency requirements. System equipment is installed in year 1 with this scenario and scenario E449G or E449C is used in years 2-5.	acre	1	1	\$1,375.99		NA	New Enhancement for FY 2021
E472A		Nutrients transported to surface water, Pathogens and chemicals from manure, bio-solids or compost applications transported to surface water	х	х	х	х	x	х	х	Manage livestock access to waterbodies to reduce nutrients or pathogens to surface water	Installation of structure and implementation of grazing management actions that restrict livestock access to streams, ditches, and other waterbodies in order to reduce nutrient loading or reduced the introduction of pathogens from manure, bio-solids or compost to surface waters.	ft.	10	1	\$2.30		NA	
E484A		Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x							Mulching to improve soil health	Implement a crop rotation which utilizes mulch and addresses all four principle components of soil health: increases diversity of the cropping system; maintains residue through the year; keep a living root; and minimizes soil chemical, physical and biological disturbance. Plant-based mulching materials will be applied at least once during the rotation. The rotation will include at least 4 different crops and/or cover crops grown in aa sequence that will produce a positive trend in the Organic Matter (OM) subfactor value over the life of the rotation, as determined by the Soil Conditioning Index (SCI). The current NRCS wind and water erosion prediction technologies must be used to document the rotation and SCI calculations.	acre	1	5	\$1.93	List of mulching materials with a carbon to nitrogen ratio (C:N) less than 30:1.	NA	
E484B	AIR	Emissions of Particulate Matter (PM) and PM Precursors		х						Reduce particulate matter emissions by using orchard or vineyard generated woody materials as mulch	Reduce particulate matter emissions by using orchard or vineyard generated woody material as mulch. At least 90% of all woody materials are to be used as mulch on the operation. An exception may be made when it is determined that infected material must be burned to preserve crop health.	acre	1	5	\$14.55	Any required state specific additions to CPS 484.	NA	
E484C	PLANTS	Plant Pest Pressure	х	х						Mulching with natural materials in specialty crops for weed control	Application of straw mulch or other state approved natural material (such as wood, chips, compost, green chop, dry hay or sawdust) for weed control in specialty crops.	Acre	1	5	\$37.78	Any state specific additions to CPS 484 and any state specific guidance for specific specialty crops.	NA	

											Emaneemens	Diu	ie. ivew	7 FY 2021 Ennancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Farmstead	ull Enhancement Name	Enhancement Lifespan Max years enh. can be contracted the payment rate Payment rate Payment rate Payment rate		uitable	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E511A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x	x	x				narvest of crops (hay or small grains) using neasures that allow desired species to	Harvest of crops (hay or small grains) using conservation measures that allow desired species to flush or escape (See State Wildlife Action Plan for species list). Conservation measures include timing of harvest, idling land during the nesting or fawning period, and applying harvest techniques that reduce mortality to wildlife.  1	perative ES) or forage age of content, e height . Primary upland	NA	Added land uses pasture and range
E511B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x	x	x			n	naintain wildlife habitat cover, shelter or	List of wildlife specic concern. WHEG for concern that included shelter requirement to timely cutting and removal of forages from the field as hay, green chop, or ensilage in such a way, and in time frames, to optimize both forage yield/quality and wildlife cover and shelter and/or continuity between otherwise disconnected habitats.  1 5 \$5.22  List of wildlife specic concern. WHEG for concern that include shelter requirement to cooperative Extens recommendations is stubble heights to a winterkill of forage cold climates. Appropriately, and minimal heights to provide shabitat for the species.	species of es cover and es. on Service or proper void especies in operiate over um plant uitable	NA	Added range landuse
E511C		Feed and Forage, Plant Productivity and Health, Structure and Composition		x	x					orage testing for improved narvesting	Dry hay forage samples are collected and analyzed following LGU procedures. Analysis results are kept and used to improve harvest decisions to guide forage supplementation of on-farm livestock to meet nutritional needs and improve health and productivity.  State Cooperative E Service (CES) recomfor forage harvest be stage of maturity, no content, length of cheight and harvest and State Cooperate Extension Service (Cnutritional requirem livestock classes.	mendations ased on oisture at, stubble interval, etc. we ES) forage	NΔ	New Enhancement for FY 2021
E512A	SOIL	Sheet and Rill Erosion; Wind Erosion	х	х							Conversion of cropped land to grass-based agriculture. Mixtures of perennial grasses, forbs, and/or legume species are established on cropland where annually-seeded cash crops have been grown.  5 1 \$6.99		YES	

**Blue: New FY 2021 Enhancements** 

										Zimanoements					Blue: New FY 2021 Ennancements
Code	Resource Concern	Resource Concern Cause	Crop (Appual and Mixed)	Crop (Perennial)	Pasture	Range	Forest Associated	Ag Land	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++  Of equired ++  Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E512B	SOIL	Sheet and Rill Erosion			x					Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species suitable for pasture, hay, or biomass production that can provide for reduced soil erosion, improving soil health.	acre	5	1	\$23.10	State specific planting rates, methods and dates. Livestock exclusion requirements.
E512C	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х	x					Cropland conversion to grass for soil organic matter improvement	Conversion of cropped land to grass-based agriculture. Mixtures of perennial grasses, forbs, and/o legume species are established on cropland where annually-seeded cash crops have been grown.	r acre	5	1	\$10.50	State specific planting rates, methods and dates. Livestock exclusion requirements. List of noxious plants List of persistent species that can tolerate close grazing and/or trampling
E512D	SOIL	Organic Matter Depletion	х	х	x				Forage plantings that help increase organic matter in depleted soils	Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species suitable for pasture, hay, or biomass production that can help improve soil quality of depleted site through increase or conservation of the organic matter in the soil.	s acre	5	1	\$11.79	State specific planting rates, methods and dates. Livestock exclusion requirements.
E512E	PLANT	Plant Productivity and Health	х	x					Forage and biomass planting that produces feedstock for biofuels or energy production.	Conversion of cropped land to grass-based agriculture. Mixtures of perennial grasses, forbs, and/o legume species are established on cropland where annually-seeded cash crops have been grown.	r acre	5	1	\$57.60	State specific planting rates, methods and dates. Livestock exclusion requirements.  YES
E512F	PLANT, ANIMALS	Plant productivity and Health, Plant Structure and Composition, Terrestrial Habitat for Wildlife and Invertebrates			х			x	Establishing native grass or legumes in forage base to improve the plant community	Establishing adapted and/or compatible species, varieties, or cultivars of perennial, herbaceous species that can provide the structure and composition needed to enhance livestock and wildlife habitat, particularly when targeted forage supply and quality, cover, and shelter are not available in other pastures.	n acre	5	1	\$19.06	State specific planting rates, methods and dates. Livestock exclusion requirements. WHEG for species of concern.
E512G	ANIMALS	Feed and Forage Imbalance		х	х			х	Native grasses or legumes in forage base	Establishing adapted and/or compatible species, varieties, or cultivars of perennial, herbaceous species that can provide the structure and composition needed to enhance livestock and wildlife habitat, particularly when targeted forage supply and quality, cover, and shelter are not available in other pastures.	n acre	5	1	\$28.67	State specific planting rates, methods and dates. Livestock exclusion requirements.
E512H	PLANTS AND ANIMALS	Plant Structure and Composition, Terrestrial Habitat for Wildlife and Invertebrates			х			х	Forage plantings that enhance bird habitat cover and shelter or structure and composition	Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species suitable for pasture, hay, or biomass production that can provide cover and shelter or structure an composition to birds.	d acre	5	1	\$26.48	State specific planting rates, methods and dates. Livestock exclusion requirements. List of wildlife friendly grasses, forbs, shrubs, and trees.  WHEG score requirement changed from .75 to .60. New statement in criteria when native forbs and legumes are not available.
E512I	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates			х			х	X Establish pollinator and/or beneficial insect and/or monarch habitat	Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species that can provide nectar for Monarch butterflies and/or pollinators and forage and other habitat values for wildlife and livestock, particularly at times when targeted nectar, forage supply and quality, cover, and shelter are not available in other pastures.	acre	5	1	\$27.78	State specific planting rates, methods and dates. Livestock exclusion requirements. WHEG for species of concern. List of wildlife friendly grasses, forbs, shrubs, and trees.

Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	rasture Range	Forest	Associated	Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	uitable	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E512J	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates		,	ζ .		х	x	Establish wildlife corridors to provide habitat continuity or access to water	Establishing adapted and/or compatible species, varieties, or cultivars of perennial, herbaceous species that can provide cover needed for wildlife species of concern to move from food/cover/water sources to other food/cover/water sources as needed for their life cycles, and/or to enhance the utility of underused wildlife habitat areas.	acre	5	1	\$16.77	State specific planting rates, methods and dates. Livestock exclusion requirements. WHEG for species of concern. List of wildlife friendly grasses, forbs, shrubs, and trees.	NA	
E528A	ANIMALS	Feed and Forage Imbalance		,	( x		x		Maintaining quantity and quality of forage for animal health and productivity	Managing the harvest of vegetation with grazing and/or browsing animals for the purposes of maintaining desired pasture composition/plant vigor and improving/maintaining quantity and quality of forage for the animals' health and productivity following the recommendations of a qualifying professional, as detailed in the documentation and implementation requirements.	acre	1	5	\$3.72	Deferment (non-grazing period less than one year) and/or rest (non-grazing period equal or greater than one year) needed for critical periods of plant needs (such as post-planting or renovation, severe drought, etc.).	NA	
E528B		Terrestrial Habitat for Wildlife and Invertebrates		,	x x	x			Grazing management that improves monarch butterfly habitat	Implement a grazing management plan that will increase the abundance and diversity of monarch nectar-producing perennial forbs, including milkweed, while maintaining ecosystem benefits for other wildlife and livestock.	acre	1	5	\$9.15	State NRCS Monarch Butterfly Wildlife Habitat Evaluation Guide (WHEG).	NA	Added Forest land use
E528C	ANIMALS	Feed and Forage Imbalance, Terrestrial Habitat for Wildlife and Invertebrates		,	x x				Incorporating wildlife refuge areas in contingency plans for wildlife.	A prescribed grazing plan that includes 12 month (or longer) rest (non-grazing period equal or greater than one year) of a grazing unit that consists of native grasses and/or legumes and/or perennial forbs for the purpose of meeting the needs for drought/disaster contingency plans that will also provide wildlife habitat or wildlife access to water for a period of time.	acre	1	5	\$16.43	WHEG for species of concern.	NA	
E528D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates		,	x x	х			Grazing management for improving quantity and quality of food or cover and shelter for wildlife	Grazing management employed will provide the plant structure, density and diversity needed for improving the quantity and quality of cover, shelter and food for the desired wildlife species of concern.	acre	1	5	\$0.53	WHEG for species of concern.	NA	
E528E	PLANTS	Plant Structure and Composition, Terrestrial Habitat for Wildlife and Invertebrates		,	x x	х	х		Improved grazing management for enhanced plant structure and composition for wildlife	Managing the harvest of vegetation with grazing and/or browsing animals for the purpose of improving the quantity and quality of the structure and composition of the plant community that is available for wildlife.	acre	1	5	\$3.30	WHEG for wildlife species of concern.	NA	
E528F	PLANTS	Plant Productivity and Health, Plant Structure and Composition		)	<		х		Stockpiling cool season forage to improve structure and composition or plant productivity and health	Grazing management employed to stop grazing events of selected paddock(s) to allow pasture forages to grow to maximum vegetative biomass accumulation before the end of the growing season.	acre	1	5	\$23.21		NA	
E528G	PLANTS	Plant Productivity and Health		)	<b>«</b>				Improved grazing management on pasture for plant productivity and health with monitoring activities	Managing the harvest of vegetation with grazing and/or browsing animals as adjusted when following recommendations of a qualifying professional, as detailed in the enhancement criteria, generated through pasture condition scoring (PCS).	acre	1	5	\$9.74	Pasture condition score Assessment. Critical periods of plant needs (such as post-planting or renovation, severe drought, etc.).	NA	
E528H		Elevated Water Temperature		2	x X	х			Prescribed grazing to improve/maintain riparian and watershed function-elevated water temperature	Grazing management employed will provide cover and density needed in the watershed in order to reduce runoff, improve infiltration, provide for above ground water filtration and sustain applicable fish and wildlife species habitat.		1	5	\$1.60		NA	Added Pasture and Forest land uses

									Lillancements					BI	ue: Ne	w FY 2021 Enhancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture Range	Forest	Associated Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E528I	WATER	Nutrients transported to surface water, Nutrients transported to ground water			х х			Grazing management that protects sensitive areas -surface or ground water from nutrients	Grazing management employed will provide cover and density needed in the watershed in order to protect sensitive areas such as sinkholes, streams, highly erodible areas, or locations with plants that cannot tolerate defoliation.	acre	1	5	\$1.74		NA	
E528J	WATER	Nutrients transported to surface water, Pathogens and chemicals from manure, bio-solids or compost applications transported to surface water, Sediment transported to surface water			х			Prescribed grazing on pastureland that improves riparian and watershed function.	Grazing management employed will provide cover and density needed in the watershed in order to reduce runoff, improve infiltration, provide for above ground water filtration and sustain applicable fish and wildlife species habitat.		2 1	5	\$15.47		NA	
E528K	SOIL	Compaction			х			Improved grazing management for soil compaction on pasture through monitoring activities	Manage the harvest of vegetation with grazing and/or browsing animals as adjusted when followin recommendations of a qualifying professional, as detailed in the enhancement criteria, generated through pasture condition scoring (PCS).		1	5	\$7.60	Pasture Condition score assessments. Critical periods of plant needs (such as postplanting or renovation, severe drought, etc.).	NA	
E528L	SOIL	Bank erosion from streams, shorelines or water conveyance channels			х х	х		Prescribed grazing that improves or maintains riparian and watershed function erosion	Grazing management employed will provide cover and density needed in the watershed in order to reduce runoff, improve infiltration, provide for above ground water filtration and sustain applicable fish and wildlife species habitat.		1	5	\$10.00		NA	
E528M	SOIL	Classic Gully Erosion			х х			Grazing management that protects sensitive areas from gully erosion	Grazing management employed will provide vegetative cover and density needed in the watershed in order to protect sensitive areas such as sinkholes, streams, highly erodible areas, or locations that cannot tolerate plant defoliation.		1	5	\$1.59		NA	
E528O	ANIMAL, PLANT	Feed and Forage Imbalance, Plant productivity and health			х			Clipping mature forages to set back vegetative growth for improved forage quality	Plant maturity is the most important factor that determines forage quality. Timely clipping through mowing, swathing or some other mechanical cutting will occur on grazing lands after plants mature. This enhancement will promote increased forage palatability by setting forages that have matured back to a vegetative state for improved grazing management and forage quality.	e.	1	5	\$35.04		NA	
E528P	SOIL, WATER	Pathogens and chemicals from manure, bio-solids or compost applications transported to surface water, Nutrients transported to surface water, Organic Matter Depletion	х	x	x x			Implementing Bale or Swath Grazing to increase organic matter and reduce nutrients in surface water	Improve organic matter, aggregate stability and soil organism habitat in the soil by leaving the biomass harvested from the field on site for animal use, or supplementing organic matter needs with off-field forages. Grazing harvested forages in this manner, will help to incorporate organic matter, feed and diversify the soil microbiome, build better aggregation and increase soil health an critical functions such as infiltration, nutrient cycling, and weather resilience. Forages should be placed evenly throughout the field, but can be concentrated in areas where particular concerns, such as bare ground, need to be remedied. Decisions of forage placement must take into account areas that would be sensitive to such activity such as protecting surface waters from nutrients or steep slopes from erosion.		. 1	5	\$137.32	State supplemental guidance may be necessary to recommend feeding rates, duration in paddocks and spacing between bales.	NA	Added new statement in criteria on unrolling bales.

021 Page 13 of 27

												Diuc.	New FY 2021 Enhancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest	Associated	Ag Land Farmstead	Full Enhancement Name	Enhancement Description  And A years enh. can be contracted information with trate and the contracted the contr		Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E528Q	ANIMALS	Feed and Forage Imbalance	x		х	x				Use of body condition scoring for livestock on a monthly basis to keep track of herd health	Body condition scoring (BCS) serves as a useful management tool to monitor livestock performance with respect to current and recent feeding or grazing programs. Body condition scoring is a numeric scoring system, producers can use to consistently evaluate animals' estimated body energy reserves through degree of fatness. This information can be used to adjust nutritional strategies to reach optimal BCS. Since body condition is closely associated with reproductive performance as well as feed efficiency, monitoring body condition can help producers reach production goals and increase the operation's bottom line. Knowledge and understanding of BCS will assist producers to adjust a supplemental feeding program to maintain animal health and nutrition on a-monthly-basis.	ity BCS	NA
E528R	PLANTS	Plant Productivity and Health, Plant Structure and Composition			х	x				Management Intensive Rotational Grazing	Management intensive, multi-paddock grazing system where livestock are regularly and systematically moved to fresh forage to optimize quantity and quality of forage growth, improve manure distribution, improve wildlife cover, and improve soil health.  Implementation Requithat reduce pasture/pasize while increasing st density to maximize for systematically moved to fresh forage to optimize quantity and quality of forage growth, improve acre 1 5 \$34.49 growth, quantity and quantity a	ddock ock age ality; Nution; tration,	NA
E533B	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations; Energy Efficiency of Equipment and Facilities	x	х	х			х		Complete pumping plant evaluation for energy savings	Evaluation of all pumping plants to determine the potential to rehabilitate/replace/reconfigure pump performance to improve water delivery efficiency 10% or more. Evaluate to determine if a Variable Frequency Drive motor controller(s) is recommended and the simple payback in terms of energy savings is less than 10 years.	1	NA
E578A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х	х	Х	х	х		Stream crossing elimination	Existing stream crossings on an operation are consolidated into fewer crossings in order to reduce impacts to stream habitat.	1	NA .
E580A	SOIL	Streambank, Shoreline, Water Conveyance Channels	х	Х	х	X	Х	х	х	Stream corridor bank stability improvement	Stream corridor bank vegetation components are established to provide additional streambank stability.  acre 20 1 \$2,066.06	1	NA
E580B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x	х	x	x	x	x	Stream corridor bank vegetation improvement	Stream corridor bank vegetation components are established to improve ecosystem functioning and stability.  List of plants that prov habitat requirements f desirable wildlife and pollinators. WHEG for of concern.	r	NA

																			WIT 2021 Elimanecinches
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest Associated	Ag Land Farmstead	Fullstead	ull Enhancement Name	Enhancement Description		Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E590A	WATER; AIR	Nutrients Transported to Surface Water; Nutrients Transported to Ground Water; Emission of Greenhouse Gases (GHGs)		x						nproving nutrient uptake efficiency and educing risk of nutrient losses	Nutrient management encompasses managing the amount, source, placement, and to application of plant nutrients and soil amendments. Nutrients are currently being application of the 4R nutrient stewardship principles. Enhanced nutrient use efficient technologies are utilized to improve nutrient use efficiency and reduce risk of nutrient surface and groundwater and reduce risks to air quality by reducing emissions of gree (GHGs).	olied on the cy strategies on at losses to	acre	1	5	\$26.54	List of nitrogen or phosphorous EEF products recommended by state Land Grant University (LGU) and concurred with by NRCS.  Documentation of LGU and/or laboratory guidelines for interpretations of the results and appropriate nutrient adjustments based on inseason plant tissue sampling and analysis.	NA	
E590B	WATER	Nutrients Transported to Surface Water; Nutrients Transported to Ground Water		х					w	educe risks of nutrient loss to surface vater by utilizing precision agriculture echnologies	Precision application technology and techniques are utilized to plan and apply nutrier nutrient use efficiency and reduce risk of nutrient losses.	nts to improve	acre	1	5	\$14.25		NA	
E590C	WATER	Nutrients Transported to Surface Water; Nutrients Transported to Ground Water			х					nproving nutrient uptake efficiency and educing risk of nutrient losses on pasture	Nutrient management encompasses managing the amount, source, placement, and to application of plant nutrients and soil amendments. Nutrients are currently being application of the 4R nutrient stewardship principles. Enhanced nutrient use efficient technologies are utilized to improve nutrient use efficiency and reduce risk of nutrient pasture.	olied on the cy strategies o	acre	1	5	\$16.77	Documentation of LGU and/or laboratory guidelines for interpretations of the results and appropriate nutrient adjustments based on inseason plant tissue sampling and analysis.		New criteria to adjust pH and new Documentation IR-During Implementation to adjust pH.
E595A	WATER	Pesticides Transported to Surface Water	х	х					by		Utilize precision application techniques to reduce risk of pesticides in surface water be total amount of chemical applied and reducing the potential for delivery of chemicals bodies.	-	acre	1	5	\$10.47		NA	
E595B		Pesticides Transported to Surface Water; Emissions of Ozone Precursors Pesticides	х	х	х				Re	educe risk of pesticides in water and air y utilizing IPM PAMS techniques	Utilize integrated nest management (IPM) prevent, avoidance, monitoring, and suppr		acre	1	5	\$6.05		NA	

																	5.0		W 11 2021 Elinancements
Code	Resource Concern	Resource Concern Cause	Crop	Crop	(Perennial) Pasture	Range	Forest	Associated	Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	i	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E595D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x							Increase the size requirement of refuges planted to slow pest resistance to Bt crop	Bacillus thuringiensis (Bt) plant incorporated protectants are plants that have been genetically altered to produce proteins that are harmful to certain insect pests. Widespread implementation of Bt crops has decreased insecticide use and increased crop yields, but it must be used as part of an integrated pest management (IPM) approach to protect the crop from pest species that are not susceptible to the Bt toxin and to manage pest resistance. Crop rotation, scouting and resistance management strategies, such as planting and creating refuges of non-Bt crops, are essential when farming Bt crops. Insects have developed resistance to Bt proteins. To mitigate the development of further resistance, growers are required to plant refuges of non-transgenic crops. These refuges produce numbers of susceptible insects that will help sustain populations of non-resistant insects. The size of Refuge requirement depends on the environment, pest and strain of the crop. Size of refuge is determined by resistance risk. Most Bt corn requires that 20% of the total Bt crop planted be non-Bt. Cotton can require 50% of the crop be planted to non-Bt. A recent study published in the Journal of Integrated Pest Management revealed, compliance has been a challenge. Nearly 40% of growers surveyed did not plant the required refuge (Reisig 2017). They credit non-compliance, part, to lack of understanding by small-scale farmers about the need for refuges.	acro	2 1	5	\$12.	70		No	
E595E	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates			x	x				Eliminate use of chemical treatments to control pests and to increase the presence of dung beetles	Pests and parasites can have a significant impact on the economic viability of livestock operations, by affecting the performance and health of animals. The use of broad-spectrum insecticides, pour ons and avermectins have been shown to have a detrimental effect on dung beetle populations. Having a healthy population of dung beetles facilitates the recycling of nutrients and promotes soi and grassland health. By eliminating the application of broad-spectrum insecticides, pour-ons, and avermectins, including injectable avermectins, for pest control in and on livestock along with rotational grazing and higher stock densities has shown to increase the dung beetle population. Us of natural or alternative methods of pest control over multiple years is encouraged.	l d acro	e 1	5	\$5.6	7		No	
E612A	WATER	Sediment Transported to Surface Water	x	х						Cropland conversion to trees or shrubs fo long term improvement of water quality	Cropland conversion to trees and shrubs for long term erosion control and improvement of water quality. Trees and shrubs are established on cropland where annually-seeded cash crops have bee grown. Tree and/or shrub species are selected for their efficacy in holding soil, and the planting design is configured to control runoff and trap sediment.	n acro	2 15	1	\$360	45		YES	
E612B	AIR	Emission of Greenhouse Gases (GHGs)	х	х	x	x	x	х	x	Planting for high carbon sequestration rat	Plant tree species and use stocking levels for higher growth to increase the rate of carbon sequestration (capture). Use species with a longer life span as well as relatively fast growth, and species suitable for durable manufactured products. Increase stocking levels in forests that are not fully stocked. Implement afforestation on appropriate open lands.	acro	e 15	1	\$1,21	7.39	Additional criteria to supplement CPS 612. List of tree species that meet requirements for high rates of carbon sequestration and are suitable for the geographic location.	YES	

Page 16 of 27

											2arreentes						Bit	ie. ivev	W FY 2021 Ennancements
Code	Resource Concern	Resource Concern Cause	Crop	<u>=</u> l : <u>≂</u> l	Pasture	Range	Forest Associated	Ag Land Farmstead	Farmstead F	ull Enhancement Name	Enhancement Description		Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	uital	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E612C	Plants	Plant Productivity and Health; Plant Structure and Composition Terrestrial Habitat for Wildlife and Invertebrates				<b>x</b>	к	•		stablishing tree/shrub species to restore ative plant communities	Establish trees and/or shrubs to restore elements of plant diversity that have been lost through diseases or improper management. For example, disease-resistant varieties of elm and chest be established to restore the ecological functions of American elm and American chestnut. As stand level, past forest management may have eliminated certain native tree species. Restorication stand-level diversity and function addresses a wide array of resource concerns and strengthe ongoing management activities. This enhancement improves a forest that is already in good condition by increasing plant diversity, and improving health and vigor through adding plants resistance to disease, pests, or other local hazards. Additional benefits include contributing to carbon storage, and providing diversity in wildlife habitat and food sources.	the ng a with	cre	15	1	\$932.06	List of native species eliminated or reduced on the site, suitable for restoration.		
		Plant Structure and Composition	х	x	x	<b>x</b>	х	x	X I	dding food-producing trees and shrubs o existing plantings	Plant food-producing trees and shrubs for wildlife or human consumption within windbreaks cropping, multi-story cropping, silvopasture systems, and/or riparian forest buffers.	alley	cre	15	1	\$208.79	Additional criteria to supplement CPS 612. State list of suitable woody plants for food/culinary use.	NA	
E612E	PLANTS	Plant Structure and Composition			x	<b>x</b>	x x	x	<b>X</b> Cı	ultural plantings	Plant trees and shrubs that are of cultural significance, such as those species utilized by Tribe traditional practices, medicinal plants, species used in basket-making, etc. (e.g., paper birch, slippery elm, witch hazel).		cre	15	1	\$1,920.12	Additional criteria to supplement CPS 612. State list of suitable woody plants for cultural uses.	NA	
E612F	PLANTS	Plant Structure and Composition				;	х	x	<b>X</b> Su	ugarbush management	Establish or maintain species diversity in a sugarbush to enhance pollinator and wildlife need Maintain at least 20% of basal area in species other than sugar maple (Acer saccharum) to prospecies diversity. Half of the trees that are not sugar maples (10%) will be mast producing species of the soft mass. Use maple tree tapping guidelines that minimize tree damage.	vide	cre	15	1	\$814.31	Additional criteria to supplement CPS 612. State list of suitable mast-producing tree species.	NA	
E612G	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x	x	x	х	x	<b>X</b> Tr	ree/shrub planting for wildlife food	Tree or shrub planting to enhance habitat for native wildlife. A minimum of five tree or shrub species will be used; they will be species that provide food and/or cover for identified wildlife species.	ā	cre	15	1	\$1,933.98	Additional criteria to supplement CPS 612. List of trees and shrubs important for wildlife food. WHEG for species of concern.	YES	
E643B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates					ĸ			estoration and management of rare or eclining habitat	Provide protection from adverse environmental conditions to create refugia for documented occurrences of sensitive plant communities.		cre	5	1	\$7.65	List of plant species listed by the State as State Endangered, State Threatened, State Sensitive or other native plant species determined to be in decline	NA	
E644A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	x	х					Nanaging Flood-Irrigated Landscapes for Vildlife	Developing and implementing a conservation plan that supports maintenance of flood-irrigat key landscapes to provide important foraging habitat for local breeding and migratory waterf and waterbirds.		cre	1	5	\$24.68	Wildlife Habitat Evaluation Guide (WHEG) to assess habitat condition, both existing and planned score	NA	

Page 17 of 27 FY 2021

															Dio	ie. ivev	W FY 2021 Ellifancements
Code	Resource Concern	Resource Concern Cause	Crop		Pasture	Range	Associated	Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E645A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х	x	x >	( )	( X	Reduction of attractants to human- subsidized predators in sensitive wildlife species habitat	Reduction of artificial perching sites, nest sites, food, and water available to subsidized predators in areas where human-subsidized predators are a threat to sensitive wildlife species. Human-subsidized predators may include ravens, crows, magpies, coyotes, foxes, skunks, raccoons, and other species. Activities under this enhancement may include removal of non- native or invasive trees; removal of unused power poles, corrals, windmills, buildings, and other vertical structures; and/or removal or management of watering facilities, dead livestock, road kill, garbage, animal feed, dumps, and other non-natural food sources.	No	1	1	\$50.01	State-specific technical specifications for attractant removal needed to improve habitat	NA	
E645B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x	x 2	x >	к	x x	Manage existing shrub thickets to provio adequate shelter for wildlife	Existing shrub thickets provide an instant and important cover for wildlife. Various wildlife species may use shrubs as winter/thermal cover, summer shade, roosting, or as escape cover from predators. Proper management ensures that these shrubs will continue to provide the desired benefits for the local wildlife. A combination of herbicide treatments, cutting and trimming branches, and removal of other competing vegetation will occur. An eligible existing shrub thicket needs to have a canopy cover of 750 square feet, with an end goal of expanding to 1500 square feet. Any existing shrub thicket (not hand planted within the last 5 years) are eligible for this enhancement. Shrub thickets found within fence rows may now be very wide, but still meet the 750 square feet, are eligible.		1	1	\$291.76		NA	
E645C	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	x	x 3	x >	к	x x	Edge feathering for wildlife cover	Selected trees are cut, and brush clipped along the border between a wooded area and a grassland cropland, or idle land, creating a dense woody cover of interlocking branches at ground level. The feathered edge will be an average of 30 feet wide and a minimum of 50 feet long, resulting in an area of 1500 square feet. The width of the strip will vary to follow topographic features and to create a wavy border; the design will also consider aesthetics. Vegetative composition and cover will vary within the edge, ranging from areas with no trees and shrubs to areas with scattered trees and extensive shrub cover. The variation in vegetation structure along with variable width of the edge will create feathering. The edge may include shrub plantings for wildlife food and aesthetics.	Acre	1	1	\$789.89		NA	
E646A		Terrestrial Habitat for Wildlife and Invertebrates	х						Close structures to capture and retain rainfall for waterfowl and wading bird winter habitat	When flooded to shallow depths during fall and winter, agricultural fields provide ideal foraging habitat for myriad species of waterfowl and wading birds. In addition, flooded conditions promote establishment of aquatic invertebrate populations, thus providing protein-rich food sources for shorebirds as well as waterfowl and wading birds.	acre	5	1	\$27.15	Wildlife Habitat Evaluation Guide (WHEG) to assess habitat condition, both existing and planned score	NA	

FY 2021 Page 18 of 27

										Limancements					BI	ie: ivev	w FY 2021 Enhancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest	Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E646B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x						Extend retention of captured rainfall for migratory waterfowl and wading bird late winter habitat	When flooded to shallow depths during fall and winter, agricultural fields provide ideal foraging habitat for myriad species of waterfowl and wading birds. Harvested and idled agricultural lands, notably those occurring within rice rotations, contain high densities of residual (i.e., waste) grain and natural seeds following harvest. In addition, flooded conditions promote establishment of aquatic invertebrate populations, thus providing protein-rich food sources for shorebirds as well as waterfowl and wading birds. Benefits may become greatest during late winter and early spring as birds are assimilating nutrient and fat reserves in preparation for northward migration. However, agricultural fields flooded during fall-winter are typically drained during late January or February in advance of spring planting. This often results in a rapid reduction in available habitat, and may constrain ability of migratory birds to adequately prepare for migration, with greatest impacts likely occurring during years of low winter precipitation. Retention of water on agricultural lands into early spring will produce maximum benefits to migratory waterfow and shorebirds by providing high quality habitat during a time when habitat may otherwise be in low abundance.	acre	5	1	\$31.99	Wildlife Habitat Evaluation Guide (WHEG) to assess habitat condition, both existing and planned score	NA	
E646C	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	X						1 '	Suitable shorebird habitat is limited during the summer and fall as birds migrate south post-breeding and providing shallow water and mud flat habitat will benefit a variety of shorebird species. Optimal conditions are created when water levels are slowly reduced through evaporation, which allows for propagation of invertebrates (typically insect larvae) used as food by shorebirds. Manipulation of vegetation, preferably through rolling, creates open conditions required by this suite of birds as a means to detect and avoid predators, and provides nutrient inputs for invertebrate production.	acre	5	1	\$51.73	Wildlife Habitat Evaluation Guide (WHEG) to assess habitat condition, both existing and planned score	NA	
E646D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	X						Manipulate vegetation and maintain closed structures for shorebird late summer habitat	Suitable shorebird habitat is limited during the summer and fall as birds migrate south post-breeding. Providing shallow water and mud flat habitat will benefit a variety of shorebird species. Optimal conditions are created when water levels are slowly reduced through evaporation, which allows for propagation of invertebrates (typically insect larvae) used as food by shorebirds. Manipulation of vegetation, preferably through rolling, creates open conditions required by this suite of birds as a means to detect and avoid predators, and provides nutrient inputs for invertebrate production.	acre	5	1	\$57.55	Wildlife Habitat Evaluation Guide (WHEG) to assess habitat condition, both existing and planned score	NA	
E647C	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x						Maintain most soil vegetation on cropland edges to enhance waterfowl and shorebird habitat	The wetter or more water saturated portions of cropland fields such as areas adjacent to field drains, have the potential to produce a significant amount of moist soil plants which are a tremendously valuable source of forage and cover for many waterfowl, shorebird and wading bird species, especially during a period of time when such plants may be limited. Under normal croplant production, the native vegetation is restricted on these sites through mechanical and/or chemical control. These maintained moist soil plants also will provide filtering and improve water quality.	acre	5	1	\$11.21	Wildlife Habitat Evaluation Guide (WHEG) to assess habitat condition, both existing and planned score	NA	

FY 2021 Page 19 of 27

													5.0	e. New F1 2021 Elillancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed) Crop (Perennial)	Pasture Range	Forest	Associated Ag land	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E647D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x				Establish and maintain early successional habitat in ditches and bank borders	This enhancement is to encourage the establishment of early successional, naturally occurring vegetation in ditches, side slope and bank borders to provide cover, critical nesting and brood rearing habitat as well as filtering overland flow and improving water quality. Ditches perform the critical function of removing water from agricultural lands. Allowing naturally occurring vegetation to develop along ditches, including side slopes, banks and borders, will help provide food and cover for wildlife while enhancing aquatic habitat and improving water quality. Ditches and ditch borders provide a foundation that supports a diverse wildlife community including Northern Bobwhite (Colinus virginianus) and other birds preferring early successional cover. Rabbits, furbearers, amphibians and many other species that inhabit agriculture areas will use this vegetative cover. These areas can also provide critical nesting habitat for the Mottled Duck (Anas fulvigula).	acre	5	1	\$11.21	Wildlife Habitat Evaluation Guide (WHEG) to assess habitat condition, both existing and planned score	NA
E666A	SOIL, AIR	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability; Compaction; Emission of Greenhouse Gases (GHGs);			x		Maintaining and improving forest soil quality	Adopts guidelines for maintaining and improving soil quality on sites where forest management activities are practiced. These guidelines will increase soil organic matter content, improve nutrient cycling, and increase infiltration and retention of precipitation. Avoiding soil compaction will allow for greater root development and tree growth, limit windthrow, and reduce drought stress. Increasing carbon storage on site will maintain the soil microbial community and provide wildlife benefits.	acre	10	1	\$39.54	Any required state specific additions to CPS 666.	NA
E666D	PLANT, ANIMAL, WATER	Plant Pest Pressure; Terrestrial Habitat for Wildlife and Invertebrates; Naturally Available Moisture Use; Nutrients Transported to Surface Water; Nutrients Transported to Ground Water;			x		Forest management to enhance understory vegetation	This enhancement provides for management of the understory vegetation in a forested area by mechanical, chemical, and/or manual methods to improve the plant species mix and the health of the residual vegetation. Managing the understory vegetation increases available water to the plants, minimizes runoff and erosion, and improves water quality. An adequately stocked forest provides inputs of leaves, needles, and woody twigs and stems to the forest floor, adding to soil organic matter and contributing to forest soil health. Desirable tree species and understory vegetation, with spacing that allows ground cover to develop, will allow moisture to infiltrate and be stored in the soil, releasing moisture over longer periods of time.	acre	10	1	\$252.43	Any required state specific additions to CPS 666. Guidelines for species and species groups to determine spacing, density, size-class distribution, number of trees, and amount of understory species to be retained.	NA
E666F	PLANT, ANIMAL	Plant Productivity and Health; Terrestrial Habitat for Wildlife and Invertebrates			x		Reduce forest stand density to create operations stand structure	Reducing forest stand density creates open forest conditions with a low basal area which promotes the health and vigor of the residual trees. The open stand structure allows a significant amount of sunlight to reach the forest floor and stimulates the growth of understory vegetation. Understory vegetation management, along with the wide spacing between trees or clumps of trees, provides visual appeal, lowers the risk of wildfire, and provides habitat for many at-risk and listed wildlife species. The enhancement creates conditions that facilitate a follow-up treatment with prescribed burning.	acre	10	1	\$289.63	Any required state specific additions to CPS 666. Guidelines for species and species groups to determine spacing, density, size-class distribution, number of trees, and amount of understory species to be retained.	NA
E666H	SOIL, AIR	Emission of Greenhouse Gases (GHGs), Organic Matter Depletion			х	х	X Increase on-site carbon storage	Use forest management techniques to maintain and increase on-site carbon storage. These include, but are not limited to, applying uneven-aged management, using longer rotations, retaining cavity/den trees, snags, and down woody debris, and protecting or increasing soil organic material.	acre	10	1	\$12.56	Any required state specific additions to CPS 666.	NA
E666I	PLANT, ANIMAL	Plant Productivity and Health; Terrestrial Habitat for Wildlife and Invertebrates			х	х	X Crop tree management for mast production	Forest stand improvement using crop tree management techniques to increase mast production	acre	10	1	\$372.51	Any required state specific additions to CPS 666.	NA

									Elitaricements					Dic	ic. ive	w FY 2021 Enhancements
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Forest	Associated Ag Land	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E666J	PLANT, ANIMAL	Plant Productivity and Health; Plant Structure and Composition; Terrestrial Habitat for Wildlife and Invertebrates				х	x	Facilitating oak forest regeneration	Facilitate oak regeneration following a forest stand improvement treatment for natural oak regeneration (i.e., a regeneration cut). After a regeneration cut, oaks in the seedling and sapling stages are often out-competed by invasive brush and undesirable tree and shrub species. This enhancement will release seedling and sapling oaks from competing invasive plants and other undesirable species, and thin stump sprouts. A forester will monitor site conditions, treat competition, protect seedlings, and recommend additional follow-up treatments as needed. The enhancement protects investments in oak regeneration by providing for follow-up activities that require the expertise of a professional forester.	acre	10	2	\$531.80	Any required state specific additions to CPS 666.		Max years for contracting changed to 2, also added reference to T/S site prep (code 490) in guide sheet.
E666K	PLANT, ANIMAL	Plant Structure and Composition; Terrestrial Habitat for Wildlife and Invertebrates				x	x	Creating structural diversity with patch openings	Forest stand improvement that creates patch openings. Size, shape, and arrangement of patches will be based on natural features, and emulate patches that would result from natural disturbance regimes of wind or fire, varying geographically and by forest type, and by tree species desired from natural regeneration. The treatment will create diversity in stand composition and structure, increase pest resistance, and enhance wildlife food availability. Openings may provide regeneration sites and restore natural plant communities, and achieve or maintain a desired understory plant community for wildlife habitat.	acre	10	1	\$531.49	Any required state specific additions to CPS 666. WHEG for forest species. List of invasive species.	NA	
E666L	PLANT, ANIMAL	Plant Structure and Composition, Terrestrial Habitat for Wildlife and Invertebrates				x		Forest Stand Improvement to rehabilitat degraded hardwood stands	Hardwood forestland has been subject to poor logging practices ("high-grading") for decades. Without professional forestry assistance the best species and individual trees are removed, often before maturity ("diameter-limit cutting"), leaving the poorest species and individual trees to regenerate the stand. Reversing this process requires cutting or killing poor quality trees while retaining any desirable species that might still be present. A combination of 3 silvicultural method are applied: crop tree release, group selection (all trees removed from an area 0.25 to 1.0 acre in size) and small clear-cuts (all trees removed from an area 1-3 acres in size).		10	1	\$527.38	Any required state specific additions to CPS 666.	NA	
E666O	ANIMAL	Terrestrial Habitat for Wildlife and Invertebrates				x	x	X Snags, den trees, and coarse woody deb for wildlife habitat	Improve wildlife habitat through creation and retention of snags, den trees, forest stand structural diversity, and coarse woody debris on the forest floor, to provide cover/shelter for native wildlife species.		10	1	\$52.18	Any required state specific additions to CPS 666. State Best management Practices for water quality. Guidelines for amount and spacing of snags, dens, and coarse woody debris. WHEG for species of concern.	NA	Added the term "Wolf Trees" description and criteria. Added "Perches" in Documentation and IR section of guide sheet. Also added - Prior to implementation, participant will work with NRCS to identify the desired wildlife species that use snags, den trees, coarse woody debris.

# Enhancements

Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed) Crop	Pasture	Range	Associated	Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Payment rate	State Supplemental information Required ++	Suitable for Land Use Conversion	Changes from 2020 to 2021; Highlighted blocks delineate new changes with red font indicating the change.
E666P	ANIMAL	Terrestrial Habitat for Wildlife and Invertebrates				<b>«</b> »	x	Summer roosting habitat for native forest- dwelling bat species	- Create new potential roost trees within upland and riparian forests to achieve desired summer habitat for forest-dwelling bat species.	acre	10	1	\$211.91	Any required state specific additions to CPS 666. Minimum criteria to meet the habitat requirements of the bat species of concern while avoiding potentially detrimental disturbances during the maternity period. Guidelines for roost tree species and species groups to determine spacing, density, size-class distribution, and amount of understory species to be retained. WHEG for species of concern.	NA	
E666Q	PLANT, ANIMAL	Terrestrial Habitat for Wildlife and Invertebrates				<b>(</b> )	. I X	Increase diversity in pine plantation monocultures	Create small openings to provide diversity in pine plantations, which are typically monocultures and inhospitable to wildlife. Small openings are one-half (0.5) to three (3) acres in size. The cleared area will have the vegetation removed through cutting, mulching, or other means compatible with the site.		10	1	\$531.49	Any required state specific additions to CPS 666. List of suitable pine species that have the ability to regenerate from seed. State Best management Practices for water quality. WHEG for species of concern.	NA	
E666R	ANIMAL	Terrestrial Habitat for Wildlife and Invertebrates			:	( )	x	Forest songbird habitat maintenance	Adopts guidelines and methods developed by the Forest Bird Initiative of the Vermont Audubon Society, to preserve habitat features following a forest stand improvement treatment designed to create habitat for a suite of forest-dwelling neotropical migratory songbirds. It includes developing or updating a forest management plan, inspecting and tending forest habitat, and monitoring bird populations. It protects investments in habitat creation by providing for follow-up activities that require the expertise of a professional forester or biologist. This enhancement is appropriate for states in the Atlantic Flyway and the Upper Midwest.		10	5	\$183.03	Any required state specific additions to CPS 666.	NA	

#### FY 2021 Iowa CSP Activity List Bundles - Not suitable for Voluntary Land Use Conversion

Legend			
reen: Updated Existing Bundle			
<b>Blue: New Bundle for FY2021</b>			
	u		

			Eligib	le Lanc	d Uses							an		
Bundle Code	Crop (Annual and	Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Farmstead	Bundle Name	Bundle Description (Bundles are NOT suitable for Voluntary Land Use Conversion)	Units	Bundle Lifespan	Max years bundle c be contracted	Payment Rate	Information States need to Develop Prior to Signup
B000BFF1	х	х				х			Extend existing Buffers to address water quality degradation, fish/wildlife inadequate habitat, degraded plant condition plus an option for air quality impacts. Adopt E393A, E327A or E420A, and E612D as well as one of the following enhancements: E612B, E612G. This bundle will be applied one time and the enhancements maintained for their lifespan.	acre	15	1	\$3,054.57	See specific component enhancements.
B000CPL10	х							YEAR 1 Irrigated Cropland (MRBI/Ogallala)	Addresses water quality degradation, insufficient water, soil erosion, and inefficient energy resource concerns. Adopt E590A, E449D, E449A, and E340A. This bundle will be applied one time and the enhancements maintained for their lifespan.	acre	1	1	\$152.36	See specific component enhancements.
B000CPL11	х							YEAR 2+ Irrigated Cropland (MRBI/Ogallala)	Addresses water quality degradation, insufficient water, and soil erosion resource concerns. Adopt E590A, E449C, and E340A. This bundle may be applied multiple times.	acre	1	4	\$64.44	See specific component enhancements.
B000CPL12	х							Non-Irrigated Precision Ag (MRBI)	Addresses water quality degradation, soil quality, and soil erosion resource concerns. Adopt E590B, E595A, E340A, and E329D or E345D. This bundle may be applied multiple times.	acre	1	5	\$40.73	See specific component enhancements.
B000CPL13	х							Non-Irrigated Cropland (MRBI)	Addresses water quality degradation, soil quality, and soil erosion resource concerns. Adopt E590A, E595B, and E340A. This bundle may be applied multiple times.	acre	1	5	\$50.89	See specific component enhancements.
B000CPL14	х							YEAR 1 Irrigated Precision Ag	Addresses water quality degradation, insufficient water, soil erosion, and inefficient energy resource concerns. Adopt E590B, E449D, E449A, and E340A. This bundle will be applied one time and the enhancements maintained for their lifespan.	acre	1	1	\$138.23	See specific component enhancements.
B000CPL15	х							YEAR 2+ Irrigated Precision Ag Cropland (MRBI)	Addresses water quality degradation, insufficient water, and soil erosion resource concerns. Adopt E590B, E449C, and E340A. This bundle may be applied multiple times.	acre	1	4	\$50.30	See specific component enhancements.
B000CPL16	х							Non-Irrigated Cropland with Water Bodies (MRBI)	Addresses water quality degradation, soil erosion, and soil quality resource concerns. Adopt E590A, E595B, E340A, E329D or E345D, and E390A or E393A. This bundle may be applied multiple times.	acre	1	5	\$60.43	See specific component enhancements.
B000CPL17	х								Addresses water quality degradation, soil erosion, and soil quality resource concerns. Adopt E590A, E595B, E340A, E329D or E345D, and E391A. This bundle may be applied multiple times.	acre	1	5	\$97.93	See specific component enhancements.
B000CPL18	х							Crop Bundle #18 - Precision	Addresses water quality degradation, fish and wildlife inadequate habitat, air quality impairment, and either soil erosion or soil quality degradation resource concerns.  Adopt E595A, E590B, E328D, E329A or E345A, and E340A or E340C. This bundle may be applied multiple times.	acre	1	5	\$41.65	See specific component enhancements.
B000CPL19	х							Crop buriale #15 3011 ricultit	Addresses water quality degradation, soil quality degradation, fish and wildlife inadequate habitat, and insufficient water resource concerns. Adopt E595A, E590B, E328D, E327A or E420A, and E329C or E345C. This bundle may be applied multiple times.	acre	1	5	\$41.02	See specific component enhancements.

FY 2021 Page 23 of 27

**Blue: New Bundle for FY2021** 

#### FY 2021 Iowa CSP Activity List Bundles - Not suitable for Voluntary Land Use Conversion

	Eligible Land Uses											can		
Bundle Code	Crop (Annual and	Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Farmstead	Bundle Name	Bundle Description (Bundles are NOT suitable for Voluntary Land Use Conversion)	Units	Bundle Lifespan	Max years bundle ca be contracted	Payment Rate	Information States need to Develop Prior to Signup
B000CPL20	х							Crop Bundle #20 - Soil Health Assessment	Addresses water quality degradation, soil quality degradation, fish and wildlife inadequate habitat, and insufficient water resource concerns. Adopt E595B, E590A, E328F, E327A or E420A, and E329C or E345C. This bundle may be applied multiple times.	acre	1	5	\$55.42	See specific component enhancements.
B000CPL21	х							Crop Bundle #21 - Crop Bundle (Organic)	Addresses soil quality degradation, water quality degradation, and degraded plant condition resource concerns. Adopt E484A, E595B, E590A, E393A, and E612D. This bundle may be applied multiple times.	acre	1	5	\$75.32	See specific component enhancements.
B000CPL22	х							Crop Bundle #22 - Erosion Bundle (Organic)	Addresses soil quality degradation, water quality degradation, soil erosion, and fish and wildlife inadequate habitat resource concerns. Adopt E328E, E345D, E595B, E590A, E340A, and E327A or E420A. This bundle may be applied multiple times.	acre	1	5	\$59.03	See specific component enhancements.
B000CPL23	х							Crop Bundle #23 – Pheasant and quail habitat	Addresses wildlife habitat, either water quality or air quality, and either soil health or plant pest pressure resource concerns. Adopt E393A or E386C or E390A, E340C or E340H or E386B, E328D or E328L, and E645B or E612G or E386E or E328K or E328J or E511A. This bundle may be applied multiple times.	acre	1	5	\$60.17	See specific component enhancements.
B000CPL24	х							Crop Bundle #24 – Cropland Soil Health Management System	Addresses soil health, water quality (or water quality and air quality), and either soil erosion, soil compaction, or plant pest pressure resource concerns. Adopt E329D, E328F, E590A or E590B, and E340A or E340F or E340H. This bundle may be applied multiple times.	acre	1	5	\$47.24	See specific component enhancements.
B000FST1					x			Forest Bundle#1	Addresses forest management on sites that are not adapted to natural fire disturbances. Address soil quality degradation, degraded plant condition, fish/wildlife inadequate habitat, and insufficient water. Adopt E666A, E666I, E666O, E612G, and E666D.	acre	15	1	\$101.17	See specific component enhancements.
B000GRZ1			x	x				Grazing Bundle 1 - Range and Pasture	The participant will implement site specific strategies applied to range or pasture through the following enhancements: E528L, E315A, and E645A. This bundle may be applied multiple times in order to address soil erosion, degraded plant condition, and fish and wildlife inadequate habitat resource concerns.	acre	1	5	\$95.14	See specific component enhancements.
B000GRZ2			х	х				Grazing Bundle 2 - Range and Pasture	The participant will implement site specific strategies applied to range or pasture through the following enhancements: E472A, E382A, and E580A. This bundle will be applied one time and the enhancements maintained for their lifespan in order to address water quality degradation, fish and wildlife inadequate habitat, and soil erosion resource concerns.	acre	20	1	\$2,407.41	See specific component enhancements.
B000GRZ3			x	х				Grazing Bundle 3 - Range and Pasture	The participant will implement site specific strategies applied to range or pasture through the following enhancements: E472A, E390B, and E580A. This bundle will be applied one time and the enhancements maintained for their lifespan in order to address water quality degradation, fish and wildlife inadequate habitat, and soil erosion resource concerns.	acre	20	1	\$1,625.52	See specific component enhancements.

FY 2021 Page 24 of 27

#### FY 2021 Iowa CSP Activity List Bundles - Not suitable for Voluntary Land Use Conversion

Green: Updated Existing Bundle
Blue: New Bundle for FY2021

		Eligible Land Uses										can		
Bundle Code	Crop (Annual and	Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Farmstead	Bundle Name	Bundle Description (Bundles are NOT suitable for Voluntary Land Use Conversion)	Units	Bundle Lifespan	Max years bundle ca be contracted	Payment Rate	Information States need to Develop Prior to Signup
B000GRZ4			x	x					The participant will implement site specific strategies applied to range or pasture through the following enhancements: E472A, E391C, and E580A. This bundle will be applied one time and the enhancements maintained for their lifespan in order to address water quality degradation, fish and wildlife inadequate habitat, and soil erosion resource concerns.	acre	15	1		See specific component enhancements.
B000GRZ5			Х	х				Grazing Bundle 5 - Range and Pasture	The participant will implement site specific strategies applied to range or pasture through the following enhancements: E528A, E315A, and E645A. This bundle may be applied multiple times in order to address soil erosion, degraded plant condition, and fish and wildlife inadequate habitat resource concerns.	acre	1	5	\$6.30	See specific component enhancements.
B000PST5			x					Pasture Bundle 5	The participant will implement site specific strategies applied to pasture by implementing the following enhancements E528J, E315A, and E645A. This bundle may be applied multiple times in order to address soil erosion, degraded plant condition, and fish and wildlife inadequate habitat resource concerns.	acre	1	5	\$68.31	See specific component enhancements.

FY 2021 Page 25 of 27

## FY 2021 Iowa CSP Activity List Practices

1												
314	Practice Code		Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Farmstead	Practice Name	Units	lifespan	
315	311	Х	Χ						Alley Cropping	ac	15	
337	314			Χ	Х	Х	Х		Brush Management	ac	10	
326	315			Χ	Х	Х	Х	Х	Herbaceous Weed Control	ac	5	
328	319	Χ	Х	Х	Х	Х	Х	Х	On-Farm Secondary Containment Facility	no	15	
329   X	327	Χ	Х			Х	Х	Х	Conservation Cover	ac	5	
338	328	Х							Conservation Crop Rotation	ac	1	
340	329	Χ							Residue and Tillage Management, No Till	ac	1	
342	338			Х	Х	Х	Х			ac	1	
342	340	Х	Х							ac	1	
345				Х	Х	Х	Х	Х			10	
374	345	Х								ac	1	
378		-	Х	Х		Х	Х	Х				
380					Х							
381		Х	Х				Х	X				
382												
386		Х	Χ		Х	Х		X				
390												
391		-		V	V			V				
393		-				V						
394		-			^	^						
395		-			V	V						
396		-										
410         X         X         X         X         X         X         X         X         Grade Stabilization Structure         no         15           412         X		_		Х					,			
412         X         X         X         X         Grassed Waterway         ac         10           422         X         X         X         X         Hedgerow         ft         15           430         X         X         X         X         X         X         X         X         Irrigation Pipeline         ft         20           441         X		-			-			Х				
422         X         X         X         Hedgerow         ft         15           430         X		-			Α .	X		V				
430         X		-		Х				Х	·			
441         X         X         X         X         X         X         Irrigation System, Microirrigation         ac         15           442         X		-				.,						
442         X		-		Х								
449         X         X         X         X         X         X         Irrigation Water Management         ac         1           464         X         <		-		.,		-						
464         X         Irrigation Land Leveling         ac         15           472         X         X         X         X         X         X         X         Access Control         ac         10           484         X						<del>                                     </del>						
472         X         X         X         X         X         X         Access Control         ac         10           484         X			Х	Х		X	X	Х				
484         X					_	_						
490         X					-	-						
511         X												
512         X         X         X         X         Forage and Biomass Planting         ac         5         YES           516         X         YES           516         X         X         X         X         X         X         Prescribed Grazing         ac         1		<b>—</b>			X	X	Х	Х				
516         X         Y		<del>                                     </del>										
528         X         X         X         X         X         X         X         X         X         X         X         X         X         X         Y												YES
533         X         X         X         X         X         Pumping Plant         no         15           554         X         X         X         Drainage Water Management         ac         1           558         X         X         X         X         X         X         N<								Х		ft	20	
554         X         X         Drainage Water Management         ac         1           558         X         X         X         X         Roof Runoff Structure         no         15           561         X         X         X         X         X         X         X         And         10           570         X						<del> </del>				ac		
558         X         X         X         Roof Runoff Structure         no         15           561         X         X         X         X         X         X         X         X         10           570         X <td< td=""><td></td><td><del>                                     </del></td><td></td><td>Х</td><td>Х</td><td>Х</td><td></td><td>Х</td><td></td><td>no</td><td>15</td><td></td></td<>		<del>                                     </del>		Х	Х	Х		Х		no	15	
561         X		X	Х							ac		
570         X												
574         X         X         X         X         Spring Development         no         20           578         X <td></td> <td></td> <td></td> <td>Χ</td> <td>Х</td> <td></td> <td></td> <td>Χ</td> <td></td> <td>sq ft</td> <td>10</td> <td></td>				Χ	Х			Χ		sq ft	10	
578         X	570	Х	Х	Χ	Х	Х	Х	Χ	Stormwater Runoff Control	no	1	
580     X     X     X     X     X     X     X     X     X     X     Streambank and Shoreline Protection     ft     20       587     X     X     Structure for Water Control     no     20       590     X     X     X     Nutrient Management     ac     1	574			Χ	Х		Х		Spring Development	no	20	
587     X       590     X       X     X       Structure for Water Control     no       20       Nutrient Management     ac       1	578	Χ	Х	Χ	Х	Х	Х	Χ	Stream Crossing	no	10	
590 X X X Nutrient Management ac 1	580	Х	Х	Χ	Х	Х	Х	Χ	Streambank and Shoreline Protection	ft	20	
	587	Х							Structure for Water Control	no	20	
595 X X X X X X X Integrated Pest Management ac 1	590	Х	Х	Х					Nutrient Management	ac	1	
	595	Х	Х	Χ	Х	Х		Х	Integrated Pest Management	ac	1	

FY 2021 Page 1 of 2

### FY 2021 CSP Activity List Practices

Practice Code	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Farmstead	Practice Name	Units	lifespan	Suitable for Land Use Conversion
604	Χ	Χ				Χ		Saturated Buffer	ft	15	
605	Χ	Χ				Χ		Denitrifying Bioreactor	no	10	
606	X	X	X	X	X	Χ		Subsurface Drain	ft	20	
612	Χ	Χ	Χ	Х	Х	Χ	Χ	Tree/Shrub Establishment	ac	15	YES
614			Χ	Х	Х	Χ		Watering Facility	no	10	
620	X	X	Х	Х	Х	Χ	Х	Underground Outlet	ft	20	
643				Х	Х	Χ		Restoration and Management of Rare and Declining Habitats	ac	1	
644	Х	Х	Х	Х	Х	Х	Χ	Wetland Wildlife Habitat Management	ac	1	
645	Х	Х	Х	Х	Х	Х	Χ	Upland Wildlife Habitat Management	ac	1	
646	Х	Х	Х		Х	Х		Shallow Water Development and Management	ac	5	
647	Χ	Χ	X	X	Х	Х	Χ	Early Successional Habitat Development/Management	ac	1	
649	Х	Х	Х	Х	Х	Х	Х	Structures for Wildlife	no	5	
650	Х	Х	Х	Х		Х	Χ	Windbreak/Shelterbelt Renovation	ft	15	
655					Х			Forest Trails and Landings	ft	5	
666					Х	Χ	Χ	Forest Stand Improvement	ac	10	

FY 2021 Page 2 of 2